

International Journal of Hydrogen Energy

1

--Manuscript Draft--

Manuscript Number:	
Article Type:	Full Length Article
Section/Category:	Electrolysis / Electrolyzers
Keywords:	Flow uniformity, SOEC stack, Multiphysics coupling, Numerical simulation
Corresponding Author:	Lin Yang, PhD. student University of Science and Technology of China CHINA
First Author:	x x, PhD. student
Order of Authors:	x x, PhD. student
Abstract:	1

Cover letter

December 26, 2022

Dear Editor of IJHE,

I am submitting a manuscript for consideration of publication in Asian Journal of Pharmaceutical Sciences. The manuscript is entitled “1”.

It has not been published elsewhere and that it has not been submitted simultaneously for publication elsewhere.

Nimodipine was formulated into immediate and sustained release microspheres in a solid dispersion. Two types of microspheres i.e. immediate release and sustained release microspheres could be successfully prepared through adjustment of the ratio of nimodipine to the functional additives. Following X-ray, DTA and SEM analysis, it was found that nimodipine was highly dispersed and present in the microspheres in an amorphous state.

Thank you very much for your consideration.

Yours Sincerely,

Prof. xxx

University of Science and Technology of China

No. 103 Wenhua Road, Shenyang 110016, China

Tel.: +86-24-23986251; Fax: +86-24-23986253

E-mail: xxx@ustc.edu.cn

The three potential referees including the names, addresses and email addresses are listed as follow.

1)XXX. School of Natural Resources and Environment, University of Michigan, Ann Arbor, MI48109-1041, UnitedStates. Email:XXX.

2) XXX. School of Natural Resources and Environment, University of Michigan, Ann Arbor, MI48109-1041, UnitedStates. Email:XXX.

3) XXX. School of Natural Resources and Environment, University of Michigan, Ann Arbor, MI48109-1041, UnitedStates. Email:XXX.

Highlights

- A.
- An.
- T.

```
1
2
3
4 This is pdfTeX, Version 3.14159265-2.6-1.40.21 (TeX Live 2020/W32TeX)
5 (preloaded format=pdflatex 2020.5.12) 27 JUL 2022 06:23
6 entering extended mode
7   restricted \writel8 enabled.
8   %&-line parsing enabled.
9 **test.tex
10 (./test.tex
11 LaTeX2e <2020-02-02> patch level 5
12 L3 programming layer <2020-05-05> (./elsarticle.cls
13 Document Class: elsarticle 2020/11/20, 3.3: Elsevier Ltd
14 (c:/TeXLive/2020/texmf-dist/tex/latex/l3kernel/expl3.sty
15 Package: expl3 2020-05-05 L3 programming layer (loader)
16 (c:/TeXLive/2020/texmf-dist/tex/latex/l3backend/l3backend-pdfmode.def
17 File: l3backend-pdfmode.def 2020-05-05 L3 backend support: PDF mode
18 \l__kernel_color_stack_int=\count167
19 \l__pdf_internal_box=\box45
20 )) (c:/TeXLive/2020/texmf-dist/tex/latex/l3packages/xparse/xparse.sty
21 Package: xparse 2020-03-06 L3 Experimental document command parser
22 \l__xparse_current_arg_int=\count168
23 \g__xparse_grabber_int=\count169
24 \l__xparse_m_args_int=\count170
25 \l__xparse_v_nesting_int=\count171
26 ) (c:/TeXLive/2020/texmf-dist/tex/latex/etoolbox/etoolbox.sty
27 Package: etoolbox 2019/09/21 v2.5h e-TeX tools for LaTeX (JAW)
28 \etb@tempcnta=\count172
29 )
30 \@bls=\dimen134
31 (c:/TeXLive/2020/texmf-dist/tex/latex/base/article.cls
32 Document Class: article 2019/12/20 v1.41 Standard LaTeX document class
33 (c:/TeXLive/2020/texmf-dist/tex/latex/base/size12.clo
34 File: size12.clo 2019/12/20 v1.41 Standard LaTeX file (size option)
35 )
36 \c@part=\count173
37 \c@section=\count174
38 \c@subsection=\count175
39 \c@subsubsection=\count176
40 \c@paragraph=\count177
41 \c@subparagraph=\count178
42 \c@figure=\count179
43 \c@table=\count180
44 \abovecaptionskip=\skip47
45 \belowcaptionskip=\skip48
46 \bibindent=\dimen135
47 ) (c:/TeXLive/2020/texmf-dist/tex/latex/graphics/graphicx.sty
48 Package: graphicx 2019/11/30 v1.2a Enhanced LaTeX Graphics (DPC,SPQR)
49 (c:/TeXLive/2020/texmf-dist/tex/latex/graphics/keyval.sty
50 Package: keyval 2014/10/28 v1.15 key=value parser (DPC)
51 \KV@toks@=\toks15
52 ) (c:/TeXLive/2020/texmf-dist/tex/latex/graphics/graphics.sty
53 Package: graphics 2019/11/30 v1.4a Standard LaTeX Graphics (DPC,SPQR)
54 (c:/TeXLive/2020/texmf-dist/tex/latex/graphics/trig.sty
55 Package: trig 2016/01/03 v1.10 sin cos tan (DPC)
56 ) (c:/TeXLive/2020/texmf-dist/tex/latex/graphics-cfg/graphics.cfg
57 File: graphics.cfg 2016/06/04 v1.11 sample graphics configuration
58
59
60
61
62
63
64
65
```

```

1
2
3
4 )
5 Package graphics Info: Driver file: pdftex.def on input line 105.
6 (c:/TeXLive/2020/texmf-dist/tex/latex/graphics-def/pdftex.def
7 File: pdftex.def 2018/01/08 v1.01 Graphics/color driver for pdftex
8 )
9 \Gin@req@height=\dimen136
10 \Gin@req@width=\dimen137
11 )
12 \c@tnote=\count181
13 \c@fnote=\count182
14 \c@cnote=\count183
15 \c@ead=\count184
16 \c@author=\count185
17 \@eadauthor=\toks16
18 \c@affn=\count186
19 \absbox=\box46
20 \elsarticlehighlightsbox=\box47
21 \elsarticlegrabsbox=\box48
22 \keybox=\box49
23 \Columnwidth=\dimen138
24 \space@left=\dimen139
25 \els@boxa=\box50
26 \els@boxb=\box51
27 \leftMargin=\dimen140
28 \@enLab=\toks17
29 \@sep=\skip49
30 @@sep=\skip50
31 (./test.spl) (c:/TeXLive/2020/texmf-dist/tex/latex/natbib/natbib.sty
32 Package: natbib 2010/09/13 8.31b (PWD, AO)
33 \bibhang=\skip51
34 \bibsep=\skip52
35 LaTeX Info: Redefining \cite on input line 694.
36 \c@NAT@ctr=\count187
37 )
38 \splwrite=\write3
39 \openout3 = `test.spl'.
40
41 \appnamewidth=\dimen141
42 ) (c:/TeXLive/2020/texmf-dist/tex/latex/siunitx/siunitx.sty
43 Package: siunitx 2020/02/25 v2.8b A comprehensive (SI) units package
44 (c:/TeXLive/2020/texmf-dist/tex/latex/amsmath/amstext.sty
45 Package: amstext 2000/06/29 v2.01 AMS text
46 (c:/TeXLive/2020/texmf-dist/tex/latex/amsmath/amsgen.sty
47 File: amsgen.sty 1999/11/30 v2.0 generic functions
48 \@emptytoks=\toks18
49 \ex@=\dimen142
50 ) (c:/TeXLive/2020/texmf-dist/tex/latex/tools/array.sty
51 Package: array 2019/08/31 v2.41 Tabular extension package (FMi)
52 \col@sep=\dimen143
53 \ar@mcellbox=\box52
54 \extrarowheight=\dimen144
55 \NC@list=\toks19
56 \extratabsurround=\skip53
57 \backup@length=\skip54
58
59
60
61
62
63
64
65

```

```

1
2
3
4 \ar@cellbox=\box53
5 ) (c:/TeXLive/2020/texmf-dist/tex/latex/l3packages/l3keys2e/l3keys2e.sty
6 Package: l3keys2e 2020-03-06 LaTeX2e option processing using LaTeX3 keys
7 )
8 \l__siunitx_tmp_box=\box54
9 \l__siunitx_tmp_dim=\dimen145
10 \l__siunitx_tmp_int=\count188
11 \l__siunitx_number_mantissa_length_int=\count189
12 \l__siunitx_number_uncert_length_int=\count190
13 \l__siunitx_round_int=\count191
14 \l__siunitx_process_decimal_int=\count192
15 \l__siunitx_process_uncertainty_int=\count193
16 \l__siunitx_process_fixed_int=\count194
17 \l__siunitx_process_integer_min_int=\count195
18 \l__siunitx_process_precision_int=\count196
19 \l__siunitx_group_min_int=\count197
20 \l__siunitx_angle_marker_box=\box55
21 \l__siunitx_angle_unit_box=\box56
22 \l__siunitx_angle_marker_dim=\dimen146
23 \l__siunitx_angle_unit_dim=\dimen147
24 \l__siunitx_unit_int=\count198
25 \l__siunitx_unit_denominator_int=\count199
26 \l__siunitx_unit_numerator_int=\count266
27 \l__siunitx_unit_prefix_int=\count267
28 \l__siunitx_unit_prefix_base_int=\count268
29 \l__siunitx_unit_prefix_gram_int=\count269
30 \l__siunitx_number_product_int=\count270
31 \c_siunitx_one_fill_skip=\skip55
32 \l__siunitx_table_unit_align_skip=\skip56
33 \l__siunitx_table_exponent_dim=\dimen148
34 \l__siunitx_table_integer_dim=\dimen149
35 \l__siunitx_table_mantissa_dim=\dimen150
36 \l__siunitx_table_marker_dim=\dimen151
37 \l__siunitx_table_result_dim=\dimen152
38 \l__siunitx_table_uncert_dim=\dimen153
39 \l__siunitx_table_fill_pre_dim=\dimen154
40 \l__siunitx_table_fill_post_dim=\dimen155
41 \l__siunitx_table_fill_mid_dim=\dimen156
42 \l__siunitx_table_pre_box=\box57
43 \l__siunitx_table_post_box=\box58
44 \l__siunitx_table_mantissa_box=\box59
45 \l__siunitx_table_result_box=\box60
46 \l__siunitx_table_number_align_skip=\skip57
47 \l__siunitx_table_text_align_skip=\skip58
48 (c:/TeXLive/2020/texmf-dist/tex/latex/translator/translator.sty
49 Package: translator 2019-05-31 v1.12a Easy translation of strings in
50 LaTeX
51 )) (./test.aux)
52 \openout1 = `test.aux'.
53
54
55
56 LaTeX Font Info: Checking defaults for OML/cmm/m/it on input line 54.
57 LaTeX Font Info: ... okay on input line 54.
58 LaTeX Font Info: Checking defaults for OMS/cmsy/m/n on input line 54.
59 LaTeX Font Info: ... okay on input line 54.
60
61
62
63
64
65

```

```

1
2
3
4 LaTeX Font Info: Checking defaults for OT1/cmr/m/n on input line 54.
5 LaTeX Font Info: ... okay on input line 54.
6 LaTeX Font Info: Checking defaults for T1/cmr/m/n on input line 54.
7 LaTeX Font Info: ... okay on input line 54.
8 LaTeX Font Info: Checking defaults for TS1/cmr/m/n on input line 54.
9 LaTeX Font Info: ... okay on input line 54.
10 LaTeX Font Info: Checking defaults for OMX/cmex/m/n on input line 54.
11 LaTeX Font Info: ... okay on input line 54.
12 LaTeX Font Info: Checking defaults for U/cmr/m/n on input line 54.
13 LaTeX Font Info: ... okay on input line 54.
14 (c:/TeXLive/2020/texmf-dist/tex/context/base/mkii/supp-pdf.mkii
15 [Loading MPS to PDF converter (version 2006.09.02).]
16 \scratchcounter=\count271
17 \scratchdimen=\dimen157
18 \scratchbox=\box61
19 \nofMPsegments=\count272
20 \nofMParguments=\count273
21 \everyMPshowfont=\toks20
22 \MPscratchCnt=\count274
23 \MPscratchDim=\dimen158
24 \MPnumerator=\count275
25 \makeMPintoPDFobject=\count276
26 \everyMPtoPDFconversion=\toks21
27 ) (c:/TeXLive/2020/texmf-dist/tex/latex/epstopdf-pkg/epstopdf-base.sty
28 Package: epstopdf-base 2020-01-24 v2.11 Base part for package epstopdf
29 Package epstopdf-base Info: Redefining graphics rule for '.eps' on input
30 line 4
31 85.
32 (c:/TeXLive/2020/texmf-dist/tex/latex/latexconfig/epstopdf-sys.cfg
33 File: epstopdf-sys.cfg 2010/07/13 v1.3 Configuration of (r)epstopdf for
34 TeX Liv
35 e
36 )
37 (c:/TeXLive/2020/texmf-dist/tex/latex/translator/translator-basic-
38 dictionary-En
39 glish.dict
40 Dictionary: translator-basic-dictionary, Language: English
41 ) (c:/TeXLive/2020/texmf-dist/tex/latex/siunitx/siunitx-abbreviations.cfg
42 File: siunitx-abbreviations.cfg 2017/11/26 v2.7k siunitx: Abbreviated
43 units
44 )
45 LaTeX Font Info: External font `cmex10' loaded for size
46 (Font) <12> on input line 54.
47 LaTeX Font Info: External font `cmex10' loaded for size
48 (Font) <8> on input line 54.
49 LaTeX Font Info: External font `cmex10' loaded for size
50 (Font) <6> on input line 54.
51 [1
52
53 {c:/TeXLive/2020/texmf-var/fonts/map/pdftex/updmap/pdftex.map}]
54 ! Undefined control sequence.
55 1.78 ...ters of the model are presented in 1 \unit
56 {\metre}.
57 The control sequence at the end of the top line
58
59
60
61
62
63
64
65

```



```

1
2
3
4 of your error message was never \def'ed. If you have
5 misspelled it (e.g., '\hobx'), type `I' and the correct
6 spelling (e.g., `I\hbox'). Otherwise just continue,
7 and I'll forget about whatever was undefined.
8
9 ! Undefined control sequence.
10 \metre ->\ERROR
11
12 1.78 ... the model are presented in 1 \unit{\metre
13                                     }.
14
15 The control sequence at the end of the top line
16 of your error message was never \def'ed. If you have
17 misspelled it (e.g., '\hobx'), type `I' and the correct
18 spelling (e.g., `I\hbox'). Otherwise just continue,
19 and I'll forget about whatever was undefined.
20
21 [1
22
23
24 ] (./test.aux) )
25 Here is how much of TeX's memory you used:
26   5007 strings out of 480681
27   109395 string characters out of 5908536
28   333008 words of memory out of 5000000
29   20812 multiletter control sequences out of 15000+600000
30   538122 words of font info for 44 fonts, out of 8000000 for 9000
31   1141 hyphenation exceptions out of 8191
32   38i,5n,46p,773b,382s stack positions out of
33 5000i,500n,10000p,200000b,80000s
34 {c:/TeXLive/2020/texmf-dist/fonts/enc/dvips/cm-super/cm-super-t
35 sl.enc}<c:/TeXLive/2020/texmf-
36 dist/fonts/typel/public/amsfonts/cm/cmbx12.pfb><c
37 :/TeXLive/2020/texmf-
38 dist/fonts/typel/public/amsfonts/cm/cmrl2.pfb><c:/TeXLive/
39 2020/texmf-
40 dist/fonts/typel/public/amsfonts/cm/cmrl7.pfb><c:/TeXLive/2020/texmf
41 -dist/fonts/typel/public/amsfonts/cm/cmti10.pfb><c:/TeXLive/2020/texmf-
42 dist/fon
43 ts/typel/public/amsfonts/cm/cmti12.pfb><c:/TeXLive/2020/texmf-
44 dist/fonts/typel/
45 public/cm-super/sfrml200.pfb>
46 Output written on test.pdf (2 pages, 63107 bytes).
47 PDF statistics:
48   36 PDF objects out of 1000 (max. 8388607)
49   25 compressed objects within 1 object stream
50   0 named destinations out of 1000 (max. 500000)
51   1 words of extra memory for PDF output out of 10000 (max. 10000000)
52
53
54
55
56
57
58
59
60
61
62
63
64
65

```

Declaration of interests

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

The authors declare the following financial interests/personal relationships which may be considered as potential competing interests: