

Contents

Book I

List of Figures	xvi
List of Tables	xvii
Foreword	xix
Preface	xxi
Chapter 1 Introduction	1
1.1 A brief history (of nearly half a century)	1
1.2 Today's systems	8
1.3 Working with this book	13
1.3.1 What's where	13
1.3.2 Typographic conventions	15
1.3.3 Using the examples.	18
Chapter 2 The Structure of a L^AT_EX Document	21
2.1 The overall structure of a source file	22
2.1.1 Spoiler alert—The <code>\DocumentMetadata</code> command.	23
2.1.2 Processing of options of the document class and packages	24
2.1.3 Front, main, and back matter.	26
2.1.4 Splitting the source document into several files	28
2.1.5 <code>askinclude</code> —Managing your inclusions.	30
2.1.6 <code>tagging</code> —Providing variants in the document source.	30

2.2	Sectioning commands	32
2.2.1	Numbering headings	34
2.2.2	Changing fixed heading texts	36
2.2.3	Introduction to heading design	37
2.2.4	quotchap, epigraph — Mottos on chapters and sections	38
2.2.5	indentfirst — Indent the first paragraph after a heading	39
2.2.6	nonumonpart — No page numbers on parts	40
2.2.7	titlesec — A package approach to heading design	40
2.2.8	Formatting headings — L ^A T _E X's internal low-level methods.	51
2.3	Table of contents structures	54
2.3.1	tocdata — Providing extra data for the TOC.	56
2.3.2	titletoc — A high-level approach to contents list design.	59
2.3.3	multitoc — Setting contents lists in multiple columns.	70
2.3.4	L ^A T _E X's low-level interfaces	70
2.4	Managing references	75
2.4.1	varioref — More flexible cross-references	79
2.4.2	cleveref — Cleverly formatted references	86
2.4.3	nameref — Non-numerical references	93
2.4.4	showkeys, refcheck — Displaying & checking reference keys	93
2.4.5	xr — References to external documents.	95
2.4.6	hyperref — Active references	96
2.5	Document source management	108
2.5.1	Combining several files.	109
2.5.2	Document archival information.	110
2.5.3	snapshot, bundledoc — Document archival and verification.	111
2.5.4	mkjobtexmf — Providing a minimal T _E X file tree	113
2.5.5	The rollback concept for L ^A T _E X and individual packages	114
Chapter 3 Basic Formatting Tools — Paragraph Level		119
3.1	Shaping your paragraphs	120
3.1.1	ragged2e — Improving unjustified text	123
3.1.2	nolbreaks — Preventing line breaks in text fragments.	125
3.1.3	microtype — Enhancing justified text	126
3.1.4	parskip — Adjusting the look and feel of paragraphs	137
3.1.5	setspace — Changing interline spacing	139
3.1.6	lettrine — Dropping your capital	141
3.1.7	Alphabets for initials	145
3.1.8	magaz — Special handling of the first line	146
3.1.9	fancypar — Fancy layouts for individual paragraphs.	147
3.2	Dealing with special characters	147
3.2.1	ellipsis, lips — Marks of omission	148
3.2.2	extdash and amsmath — Dashes in text	149
3.2.3	underscore — Making that character more usable.	151
3.2.4	xspace — Gentle spacing after a macro	152

3.3	Generated or specially formatted text	154
3.3.1	fmtcount — Ordinals and cardinals	154
3.3.2	acro — Managing your abbreviations and acronyms.	156
3.3.3	xfrac — Customizable $\text{\texttt{TeX}}/\text{\texttt{fractions}}$	164
3.3.4	siunitx — Scientific notation of units and quantities	167
3.4	Various ways of highlighting and quoting text.	177
3.4.1	Change case of text intelligently (formerly <code>textcase</code>)	178
3.4.2	csquotes — Context-sensitive quotation marks	179
3.4.3	embrac — Upright brackets and parentheses	188
3.4.4	ulem — Emphasize and copy-edit via underline	189
3.4.5	dashundergaps — Produce fill-in forms	190
3.4.6	microtype & soul — Letterspacing or stealing sheep	191
3.4.7	url — Typesetting URLs, path names, and the like.	198
3.4.8	uri — Typesetting various types of URIs.	202
3.5	Footnotes, endnotes, and marginals	204
3.5.1	Using standard footnotes.	205
3.5.2	Customizing standard footnotes	208
3.5.3	footmisc — Various footnotes styles	210
3.5.4	footnoterange — Referencing footnote ranges	216
3.5.5	fnpct — Managing footnote markers and punctuation.	216
3.5.6	perpage — Resetting counters on a “per-page” basis	218
3.5.7	manyfoot, bigfoot — Independent footnotes	220
3.5.8	parnotes — Present the notes inside the galley	226
3.5.9	ftnright — Right footnotes in a two-column environment	228
3.5.10	enotez — Endnotes, an alternative to footnotes.	228
3.5.11	Marginal notes	232
3.5.12	marginnote — An alternative to <code>\marginpar</code>	234
3.5.13	snotez — Numbered or otherwise marked side notes.	235
3.6	Support for document development.	237
3.6.1	todonotes — Adding todos to your document.	237
3.6.2	fixme — A slightly different approach to todos	242
3.6.3	changes — A set of typical editorial commands.	245
3.6.4	pdfcomment — Using PDF annotations and tool tips	250
3.6.5	vertbars — Adding bars to paragraphs	251
Chapter 4 Basic Formatting Tools — Larger Structures		253
4.1	Lists	254
4.1.1	Using and modifying the standard lists.	254
4.1.2	$\text{\texttt{L}}\text{\texttt{A}}\text{\texttt{T}}\text{\texttt{E}}\text{\texttt{X}}$'s generic list environments	258
4.1.3	enumitem — Extended list environments	261
4.1.4	amsthm — Providing headed lists	281
4.1.5	thmtools — Advanced theorem declarations	284
4.1.6	tasks — Making horizontally orientated lists	289
4.1.7	typed-checklist — Developing and maintaining checklists.	292

4.2	Simulating typed text	296
4.2.1	Displaying spaces in verbatim material	297
4.2.2	Simple verbatim extensions	298
4.2.3	upquote — Computer program style quoting	302
4.2.4	fancyvrb, fvextra — Verbatim environments on steroids	303
4.2.5	listings — Pretty-printing program code.	322
4.3	Lines and columns	333
4.3.1	lineno — Numbering lines of text	334
4.3.2	paracol — Several text streams aligned	339
4.3.3	multicol — A flexible way to handle multiple columns	351
4.3.4	multicolrule — Custom rules for multicolumned pages	361
4.4	Generating sample texts	361
4.4.1	lipsum and friends — Generating text samples	361
4.4.2	blindtext — More elaborate layout testing	363
Chapter 5 The Layout of the Page		365
5.1	Geometrical dimensions of the layout	366
5.2	Changing the layout	368
5.2.1	layouts — Displaying your layout	371
5.2.2	A collection of page layout packages	374
5.2.3	typearea — A traditional approach	375
5.2.4	geometry — Layout specification with auto-completion	377
5.2.5	lscap — Typesetting individual pages in landscape mode	384
5.2.6	savetrees — Options to reduce the document length	384
5.3	Dynamic page data: page numbers and marks	385
5.3.1	L ^A T _E X page numbers	385
5.3.2	lastpage — A way to reference it	386
5.3.3	chappg — Page numbers by chapters	387
5.3.4	L ^A T _E X's legacy mark commands	388
5.3.5	L ^A T _E X's new mark mechanism	390
5.4	Page styles	395
5.4.1	The low-level page style interface.	397
5.4.2	fancyhdr — Customizing page styles	398
5.4.3	truncate — Truncate text to a given length	405
5.4.4	continue — Help with turning pages	407
5.5	Page decorations and watermarks	409
5.5.1	draftwatermark — Put a visible stamp on your document	409
5.5.2	crop — Producing trimming marks	411
5.6	Visual formatting	414
5.6.1	Standard tools for page explicit page breaking.	414
5.6.2	Running pages and columns short or long	415
5.6.3	addlines — Adjusting whole double spreads	416
5.6.4	nextpage — Extensions to <code>\clearpage</code>	418

5.6.5	needspace—Conditionally start a new page	419
5.6.6	Avoiding widows and orphans	420
5.6.7	widows-and-orphans—Finding all widows and orphans	424
5.6.8	\looseness—Shortening or lengthening paragraphs	427
5.7	Doing layout with class	429
5.7.1	KOMA-Script—A drop-in replacement for article et al.	429
5.7.2	memoir—Producing complex publications	430
Chapter 6 Tabular Material		431
6.1	Standard L ^A T _E X environments	432
6.1.1	Using the tabbing environment	433
6.1.2	tabto—An alternative way to tab stops	434
6.1.3	Using the tabular environment	436
6.2	array—Extending the tabular environments	437
6.2.1	The behavior of the \ command	437
6.2.2	Examples of preamble specifiers	438
6.2.3	Defining new column specifiers	445
6.3	Calculating column widths	446
6.3.1	tabularx—Automatic calculation of column widths	448
6.3.2	tabulary—Column widths based on content	450
6.3.3	Differences between tabular*, tabularx, and tabulary	452
6.3.4	Managing tables with wide entries	453
6.3.5	widetable—An alternative to tabular*	453
6.4	Multipage tabular material	456
6.4.1	supertabular—Making multipage tabulars	456
6.4.2	longtable—Alternative multipage tabulars	459
6.4.3	xitabular—Marriage of tabularx and longtable	463
6.4.4	Problems with multipage tables (all packages)	464
6.5	Color in tables	466
6.6	Customizing table rules and spacing	467
6.6.1	Colored table rules	467
6.6.2	boldline—Bolder table rules	468
6.6.3	arydshln—Dashed rules	469
6.6.4	hhline—Combining horizontal and vertical lines	470
6.6.5	booktabs—Formal ruled tables	471
6.6.6	bigstrut—Spreading individual table lines apart	473
6.6.7	cellspace—Ensure minimal clearance automatically	474
6.7	Other extensions	476
6.7.1	multirow—Vertical alignment in tables	476
6.7.2	diagbox—Making table cells with diagonal lines	479
6.7.3	dcolum—Decimal column alignments	481
6.7.4	siunitx—Scientific numbers in tables	484
6.7.5	fcolum—Managing financial tables	487

6.8	Footnotes in tabular material	491
6.8.1	Using minipage footnotes with tables	491
6.8.2	threeparttable — Setting table and notes together	492
6.9	keyvaltable — Separating table data and formatting	494
Chapter 7	Mastering Floats	505
7.1	An overview of L ^A T _E X's float concepts	506
7.1.1	L ^A T _E X float terminology	506
7.1.2	Basic behavioral rules of L ^A T _E X's float mechanism	508
7.1.3	Consequences of the algorithm.	512
7.1.4	fltrace — Tracing the float algorithm	518
7.2	Float placement control	519
7.2.1	fewerfloatpages — Improving L ^A T _E X's float algorithm	519
7.2.2	placeins — Preventing floats from crossing a barrier	524
7.2.3	afterpage — Taking control at the page boundary	525
7.2.4	endfloat — Placing figures and tables at the end	525
7.3	Extensions to L ^A T _E X's float concept.	528
7.3.1	float — Creating new float types	529
7.3.2	Captions for nonfloating figures and tables	532
7.3.3	rotating, rotfloat — Rotating floats	533
7.3.4	wrapfig — Inline floats, wrapping text around a figure	535
7.4	Controlling the float caption.	538
7.4.1	caption — Customizing your captions.	540
7.4.2	subcaption — Substructuring floats	551
7.5	Key/value approaches for floats and subfloats.	560
7.5.1	hvfloat — Sophisticated caption placement control and more	560
7.5.2	keyfloat — Bringing most packages under one roof.	567
Chapter 8	Graphics Generation and Manipulation	575
8.1	L ^A T _E X's image loading support	576
8.1.1	Options for graphics and graphicx	577
8.1.2	The <code>\includegraphics</code> syntax in the graphics package	578
8.1.3	The <code>\includegraphics</code> syntax in the graphicx package	580
8.1.4	Setting default key values for the graphicx package	585
8.1.5	Declarations guiding the inclusion of images.	586
8.2	Manipulating graphical objects in L ^A T _E X.	587
8.2.1	Image and box manipulations with graphics and graphicx	587
8.2.2	overpic — Graphic annotation made easy	593
8.2.3	adjustbox — Box manipulation with a key/value interface	595
8.3	Producing (fairly) portable line graphics	602
8.3.1	A kernel picture environment enhancement	602
8.3.2	pict2e — An extension of L ^A T _E X's picture environment	602
8.3.3	bxepic — A differently enhanced picture environment.	608
8.3.4	Special-purpose languages	612

8.3.5	qrcode—Generating Quick Response codes	612
8.4	Flexible boxes for multiple purposes	614
8.4.1	tcolorbox—The basic usage	614
8.4.2	Extending tcolorbox through libraries	619
8.4.3	Defining new tcolorbox environments and commands	626
8.4.4	Special tcolorbox applications	628
8.5	tikz—A general-purpose graphics system	631
8.5.1	Basic objects	633
8.5.2	Transformations and other operations	642
8.5.3	Going further	646
Chapter 9 Font Selection and Encodings		647
9.1	Introduction	648
9.1.1	The history of L ^A T _E X's font selection scheme (NFSS)	648
9.1.2	Input and output handling in T _E X systems over the years	649
9.2	Understanding font characteristics	652
9.2.1	Monospaced and proportional fonts	652
9.2.2	Serifed and sans serif fonts	653
9.2.3	Font families and their attributes	653
9.2.4	Font encodings	657
9.3	Using fonts in text	658
9.3.1	Standard L ^A T _E X font commands	659
9.3.2	Font commands versus declarations	666
9.3.3	Combining standard font commands	668
9.3.4	Accessing all characters of a font	669
9.3.5	L ^A T _E X 2.09 font support—Compatibility for really ancient documents	670
9.3.6	Changing the default text fonts	670
9.3.7	resize, scalefont—Relative changes to the font size	675
9.4	Using fonts in math	676
9.4.1	Special math alphabet identifiers	677
9.4.2	Text font commands in math	682
9.4.3	Mathematical formula versions	682
9.5	Standard L ^A T _E X font support	683
9.5.1	Computer Modern, Latin Modern—The L ^A T _E X standard fonts	684
9.5.2	PSNFSS and T _E X Gyre—Core PostScript fonts for L ^A T _E X	688
9.5.3	A note on baselines and leading	691
9.5.4	inputenc—Explicitly selecting the input encoding	692
9.5.5	fontenc—Selecting font encodings	693
9.5.6	Additional text symbols not part of OT1 or T1 encodings	694
9.5.7	exscale—Scaling large Computer Modern math operators	704
9.5.8	tracefont—Tracing the font selection	704
9.5.9	nfssfont.tex—Displaying 8-bit font tables and samples	705

9.6	fontspec—Font selection for Unicode engines	705
9.6.1	Setting up the main document font families	706
9.6.2	Setting up additional font families	711
9.6.3	Setting up a single font face	711
9.6.4	Interfacing with core NFSS commands	712
9.6.5	Altering the look and feel of fonts	713
9.6.6	General configuration options	727
9.6.7	unicodfonttable—Displaying font tables for larger fonts	728
9.7	The low-level NFSS interface	730
9.7.1	Setting individual font attributes	731
9.7.2	Setting several font attributes	738
9.7.3	Automatic substitution of fonts.	738
9.7.4	Substituting the font family if unavailable in an encoding	739
9.7.5	Using low-level commands in the document	740
9.8	Setting up new fonts for NFSS.	740
9.8.1	Declaring new font families and font shape groups.	741
9.8.2	Modifying font families and font shape groups	746
9.8.3	Declaring new font encoding schemes	747
9.8.4	Internal file organization	748
9.8.5	Declaring new fonts and symbols for use in math	749
9.9	L ^A T _E X's encoding models.	754
9.9.1	Character data within the L ^A T _E X system	754
9.9.2	L ^A T _E X's internal character representation (LICR)	757
9.9.3	Input encodings	758
9.9.4	Output encodings	760
	Bibliography	777
	Index of Commands and Concepts	793
	People	946

Book II

	Preface Part II	→II xxvii
	Chapter 10 Text and Symbol Fonts	→II 1
	Chapter 11 Higher Mathematics	→II 127
	Chapter 12 Fonts in formulas	→II 225
	Chapter 13 Localizing documents	→II 297

Chapter 14	Index Generation	→II 345
Chapter 15	Bibliography Generation	→II 377
Chapter 16	Managing Citations	→II 475
Chapter 17	LaTeX Package Documentation Tools	→II 589
Appendix A	LaTeX Overview for Preamble, Package, and Class Writers	→II 627
Appendix B	Tracing and Resolving Problems	→II 717
Appendix C	Going beyond	→II 789
	Bibliography	→II 801
	Index of Commands and Concepts	→II 811
	People	→II 964
	Biographies	→II 969
	Production Notes	→II 973